

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2069	718/100.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/04 12:20
L2	553	710/56.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/04 12:20
S170	174	455/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:25
S171	82	S170 and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:25
S172	50173	receiv\$4 with signal\$5 with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S176	1	((queue adj occupancy adj level) same (first adj queue adj occupancy adj threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S177	1	((queue adj occupancy adj level) same (first with queue with occupancy with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S178	21	((queue with occupancy with level)) and (occupancy adj threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S179	201	((queue with occupancy with level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S180	146	((queue with occupancy with level)) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S181	6	((((queue with occupancy with level)) and threshold) and (receiv\$4 with signal\$5 with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S182	6	{(receiv\$4 with signal\$5 with message) and ((queue with occupancy with level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S183	11274	{(receiv\$4 with signal\$5 with message) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S184	380	{(receiv\$4 with signal\$5 with message) and (threshold same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S185	109	{((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S186	102	{(((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<="19990208") and first and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S187	30	{(((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<="19990208") and ((first and second) with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S188	584	call adj signaling adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S189	67	{(call adj signaling adj message) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S191	5	{(call adj signaling adj message) and @ad<="19990208") and {queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S192	13	{(call adj signaling adj message) and @ad<="19990208") and queue and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S193	31	{(call adj signaling adj message) and queue and {occupancy or level) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S194	1686	McCormick, in.	USPAT	OR	OFF	2008/03/25 16:27
S197	19	((dispensable and indispensable and essential) and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S199	159	((dispensable or indispensable) with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S200	2183	((dispensable or indispensable or essential) with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S201	124	((dispensable or indispensable or essential) adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S202	716	((dispensable or indispensable or essential) with message) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S203	21	((dispensable or indispensable or essential) with message) and @ad<="19990208" and call and enqueue and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S204	2	((dispensable or indispensable or essential) with message) and @ad<="19990208" and call and enqueue and queue) and signaling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S205	78687	type with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S206	19908	((type with message) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S207	250	((type with message) and @ad<="19990208" and (queue same threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S208	53	(((((type with message) and @ad<="19990208") and (queue same threshold)) and (call adj process\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S209	7	(((((type with message) and @ad<="19990208") and (queue same threshold)) and (call adj process\$4)) and occupancy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S210	6	(((((type with message) and @ad<="19990208") and (queue same threshold)) and (call adj process\$4)) and enqueue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S211	4	threshold with enqueue\$4 with message with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S212	13	threshold with queue with message with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S213	3775	mccormick.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S214	23	mccormick.in. and message and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S215	6	(((((type with message) and @ad<="19990208") and (queue same threshold)) and (call adj process\$4)) and enqueue\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S216	5	dispensable adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S217	612	message with drop\$4 with communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S218	146	(message with drop\$4 with communication) and efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S226	660	((dequeue\$5 with message) and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S227	264	((dequeue\$5 with message) and queue) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S228	14	((dequeue\$5 with message) and queue) and @ad<="19990208") and FIFO and LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S229	1464	overloading and (dequeuing adj message) (processing adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S233	38	((dequeuing and message) and (processing adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S234	10	((dequeuing and message) and (processing adj queue)) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S236	1	(at adj least adj one) same (FIFO and LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S237	179	(at adj least adj one) and (FIFO and LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S238	111	(at adj least adj one) and (FIFO same LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S239	11	((at adj least adj one) and (FIFO same LIFO)) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S240	1160	FIFO with LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S241	346	(FIFO with LI FO) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S242	37	(FIFO with LI FO) same dequeue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S243	8272	type with (call or signaling) with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S244	10	(type with (call or signaling) with message) and (enqueueing with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S245	45976	type near3 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S246	51	(type near3 message) with (enque\$5 with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S247	13	plurality with dequeu\$4 with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S248	13	(plurality with dequeu\$4 with list) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S250	191	track with location with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S251	62	(track with location with queue) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S253	2	(track with location with queue with call) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S254	828999	track with3 location with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S255	117	((track near3 location) with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S256	32	((track near3 location) with queue) and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S258	2	((list near3 track near3 location) with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S259	109256	370/200-500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S260	41891	370/200-500.ccls. and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S261	7158	((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S264	6651	((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S265	1585	((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and communication) and queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S266	735	((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S267	324	((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S268	156	{((((((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and (communication) and queue\$4) and (burst overload latency)) and module) and (message with (enqueueing queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S269	41	{((((((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and (communication) and queue\$4) and (burst overload latency)) and module) and (type same (message with (enqueueing queue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S270	121	{((((((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and (communication) and queue\$4) and (burst overload latency)) and module) and ((call signal \$4) adj messages)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S271	1586	"112" and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S272	6	{(((((((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message)) and (communication) and queue\$4) and (burst overload latency)) and module) and ((call signal \$4) adj messages)) and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S273	1188	{(370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S274	156	{((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message).ab.) and queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S275	106	{(((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message).ab.) and queue) and (message with (enqueueing queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S276	7	{((((((370/200-500.ccls. and @ad<="19990208") and ((call signal\$4) with message).ab.) and queue) and (message with (enqueueing queue))) and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S278	31	(efficien\$4 with (wast\$3 garbage dispens\$4)) same queue	USPAT	OR	ON	2008/03/25 16:27
S279	19957359	@ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S280	12	S278 and S279	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S281	9574	updat\$3 with queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S282	2664	S279 and S281	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S283	226	S282 and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S284	0	S282 and ((queue with threshold) with enqueue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S285	4177	updat\$3 near2 queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S286	1203	S279 and S285	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S287	4111	"10" and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S288	112	S286 and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27

S289	49	(advantage benefi\$5) with (updat\$3 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S290	11	S279 and S289	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S291	2739	(queue with messag\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S292	311	garbage with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S293	7	S291 and S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S294	50173	receiv\$4 with signal\$5 with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S295	201	(queue with occupancy with level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S296	122	(sustain\$4 with overload).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S297	98	S296 and @ad<="19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S298	2	S297 and 7\$/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S299	1	(US-5253248-\$.)did.	USPAT	OR	OFF	2008/03/25 16:27

S300	1	{sustain\$4 with overload) and S299	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S301	1	("5521923").PN.	USPAT	OR	OFF	2008/03/25 16:27
S302	5	("5157654" "5222085" "5361372" "5367643" "5381413").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S303	71	("5157654" "5222085" "5361372" "5367643" "5381413").PN. OR ("5521923").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S304	34	S303 and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S305	22	S304 and list	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S306	9	S305 and (fifo lifo)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S307	1	(US-5748629-\$).did.	USPAT	OR	OFF	2008/03/25 16:27
S308	0	(US-5748629-\$).did. and (low lower) with ((delet\$4 remov\$4 dequeue\$4))	USPAT	OR	OFF	2008/03/25 16:27
S309	0	(US-5748629-\$).did. and (low lower) same ((delet\$4 remov \$4 dequeue\$4))	USPAT	OR	OFF	2008/03/25 16:27
S310	1	(US-5748629-\$).did. and (low lower priority) same ((delet\$4 remov\$4 dequeue\$4))	USPAT	OR	OFF	2008/03/25 16:27
S311	1	(US-5748629-\$).did. and ((delet\$4 remov\$4 dequeue\$4))	USPAT	OR	OFF	2008/03/25 16:27
S312	0	(US-5748629-\$).did. and lifo	USPAT	OR	OFF	2008/03/25 16:27
S313	1	(US-5748629-\$).did. and (list with queue)	USPAT	OR	ON	2008/03/25 16:27
S314	1	(US-5748629-\$).did. and (list with dequeue\$4)	USPAT	OR	ON	2008/03/25 16:27
S315	1	(US-5748629-\$).did. and threshold	USPAT	OR	ON	2008/03/25 16:27
S316	1	("5521923").PN.	USPAT	OR	OFF	2008/03/25 16:27
S317	1	S316 and insert\$4	USPAT	OR	OFF	2008/03/25 16:27
S318	542	"call signalling message"	US-PGPUB; USPAT	OR	ON	2008/03/25 16:27
S319	4093	queue with threshold	US-PGPUB; USPAT	OR	ON	2008/03/25 16:27
S320	265	queue with threshold with (insert\$4 delet\$4 enqueue\$4 dequeue\$4)	US-PGPUB; USPAT	OR	ON	2008/03/25 16:27

S321	1	S318 and S320	US-PGPUB; USPAT	OR	ON	2008/03/25 16:27
S322	5	("5428781" "5539816" "6085277" "6118797" "6212164").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 16:27
S323	0	"call signaling message" and threshold and queue	EPO; JPO	OR	ON	2008/03/25 16:27
S324	1	("call signaling message" and queue and threshold).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S325	4	((call near3 message) and queue and threshold).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S326	0	S325 and @ad< "19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S327	0	S326 and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S328	1216	379/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S329	938	379/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S330	254	379/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S331	1855	370/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S332	2141	370/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27

S333	2557	370/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S334	8057	S328 S329 S330 S331 S332 S333	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:27
S335	2192	S334 and @ad< "19990208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S336	159	S335 and queue and message and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S337	84	S336 and (queue with threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S338	20	S337 and (call\$4 with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S339	0	S338 and (dispensable indispensable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 16:27
S341	20	((US-20020080780-\$).did. or (US-5953321-\$ or US-5937037- \$ or US-5704047-\$ or US- 6333931-\$ or US-5526349-\$ or US-6134216-\$ or US-5943232- \$ or US-5623599-\$ or US- 4325120-\$ or US-4394725-\$ or US-5996019-\$ or US-6310952- \$ or US-6614757-\$ or US- 6567416-\$ or US-6614900-\$ or US-5521923-\$).did. or (US- 6614900-\$ or EP-526103-\$). did. or (NN9202168).tban.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/03/25 16:42
S342	126	((JAMES) near2 (MOCCORMI CK)).INV.	US-PGPUB; USPAT	OR	OFF	2008/03/25 16:49
S343	0	((DAVID) near2 (FURSPAN)). INV.	US-PGPUB; USPAT	OR	OFF	2008/03/25 16:49
S344	0	((JOHNATHAN) near2 (BOSLOY)).INV.	US-PGPUB; USPAT	OR	OFF	2008/03/25 16:49
S345	301	((JOHN) near2 (BURNS)).INV.	US-PGPUB; USPAT	OR	OFF	2008/03/25 16:49

S346	30	((SHAWN) near2 (MCALLISTER)).INV.	US-PGPUB; USPAT	OR	OFF	2008/03/25 16:50
------	----	--------------------------------------	--------------------	----	-----	---------------------

4/ 4/ 08 12:21:28 PM

C:\Documents and Settings\KTang\My Documents\EAST\Workspaces\09246612.wsp